

# JC17014

## Round Up\_Down Wall Light

30W Surface Mount up/down wall light IP54

### Features & Benefits

- Durable die-cast aluminium construction
- IP54 protection against dust and moisture
- Stylish
- contemporary design
- LED wall light with matching colour temperature and finish to the Architectural exterior range



CRI:RA



CLASS I



RATING



BEAM



WARRANTY

### General Information

Mounting	Wall
Trade Name	Architectural
Environment	Outdoor
Product Group	LED - Surface
Color Finish	Black
Product Shape	Round
Product Range	Architectural Exterior Range
Overall Dimensions	238 x 218 x 108
Product Weight(kg)	2.63
Light Source	LED
Light Source Features	Warm White
Recommended Product Location	Residential applications
Method Of Fix	Surface Mounted
IP Rating	IP54
Origin of manufacturer	China
Warranty	2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)
Driver Manufacturer	Mains chip
LED Manufacturer/Type	PHILIPS 2835

Electrical

Voltage Rating	200-240
Operating Frequency Hz	50/60Hz
Luminaire Circuit Wattage	30
Class	I
EMC Compliant (EN55015)	yes

Thermals

Operating Temperature Range °C	-20 to +50
--------------------------------	------------

Performance Data

LED Life (Hours)	36000
------------------	-------

Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

Energy Rating	This product contains a light source of energy efficiency class G
Actual Lumen Output	1700
Lumens Per Circuit Watt	57 LpcW
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	3000K
Beam Angle °	110
Photometry Available	Yes

Construction




Primary Material	Aluminium
Heat Sink	Aluminium
Seal Material	Silica

Packaging

Product Packaged Weight(kg)	3.03
Quantity Per Outer Carton	4
Product Bar Code EAN-13 Number	5052544079450

Standards & Approvals

Manufactured In Accordance To	BS 60598-2015
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015



JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.  
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | [sales@jcc.co.uk](mailto:sales@jcc.co.uk) | [www.jcc.co.uk](http://www.jcc.co.uk)  
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 86 [17/01/2023]