

JC17038BLK

LED - Lantern

Decorative square post/ceiling lantern 350mm ES E27 15W LED max IP54
Black



Features & Benefits

- Stylish
- contemporary design
- Durable die-cast aluminium construction
- Toughened glass post top with ES E27 lamp holder
- IP54 protection against dust and moisture
- Matching finish to the Architectural exterior range
- Suitable for use with LED lamps



RATING



WARRANTY



CLASS I

General Information

Mounting

Surface Mounted

Trade Name

Architectural

Environment

Outdoor

Product Group

LED - Lantern

Color Finish

Anthracite

Product Shape

Rectangular

Product Range

Architectural Exterior Range

Overall Dimensions

140 x 140 x 350mm

Product Weight(kg)

2.9

IP Rating

IP54

Origin of manufacturer

China

Warranty

2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)

Lighting Product Type 1

Wall Light

Electrical

Voltage Rating

220-240

Operating Frequency Hz	50/60Hz
Luminaire Circuit Wattage	15W LED Max
Class	I
Dimmable	No
Lampholder	ES E27

Thermals

Operating Temperature Range °C	-20 to +50
--------------------------------	------------

Performance Data

Energy Rating	This product can contain a suitable light source of energy efficiency class from A to G
---------------	---

Construction


Primary Material	Aluminium
Seal Material	Silica


Packaging

Product Packaged Weight(kg)	4
Quantity Per Outer Carton	2
Product Bar Code EAN-13 Number	5052544079238

Standards & Approvals

Manufactured In Accordance To	BS60598-2-2015
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE Symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015





JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 91 [06/02/2023]