JC50306

Recessed

3W Recessed LED Downlight 103lm NM IP20 White

Features & Benefits

- Non-maintained only
- 3W recessed downlight
- Ideal for emergency lighting in offices and open areas

3yr WARRANTY

IP 20 RATING

CLASS II

General Information

Mounting	**Recessed**
Trade Name	**Emergency Range**
Environment	**Indoor**
Suitable For Zones	**Outside zone 2**
Product Group	**Emergency**
Color Finish	**White**
Product Shape	**Round**
Product Range	**Recessed Downlight**
Overall Dimensions	**42.5 x 21 mm(not including remote pack)**
Product Weight(kg)	**0.285**
Light Source	**LED**
Light Source Features	**Vibrant White**
Recommended Product Location	**Recessed ceiling mount, indoor use only**
Method Of Fix	**Spring clips**
Distance From Lighted Object	**0.3m**
Product Aperture Size	**34mm**
IP Rating	**IP20**
Origin of manufacturer	**Made in China**

Warranty	**2 years standard warranty extends to 3 years when registered within the first year of purchase (2 years on batteries)(See Website for terms and conditions)**
Driver Manufacturer	**Eaglerise**
LED Manufacturer/Type	**3W LED/Epistar**
Lighting Product Type 1	**Emergency Lighting**
Lighting Product Type 2	**Emergency Lighting**

Electrical

Voltage Rating	**220-240**
Operating Frequency Hz	**50/60Hz**
Luminaire Circuit Wattage	**3W(AC) 8.6W(DC)**
Class	**II**
Input Electrical Connections	**U/S live(black),Neutral(blue)**

Battery Data

Battery Specification	**3 cell AA Type Ni-Cd 3.6V 1800mAh**
Nominal Battery Current	**450-550mAh**
Charge Current	**90-130mAh**
Recharge Time	**24 Hours**

Thermals

Operating Temperature Range °C	**0 to +26**

Performance Data

Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

Actual Lumen Output	**103 (DC)**
Lumens Per Circuit Watt	**34 LpcW(DC)**
Correlated Color Temperature	**6000K**
Photometry Available	**No**

Construction

Primary Material	**Aluminium**

Packaging

Product Packaged Weight(kg)	**0.335**
Quantity Per Outer Carton	**20**
Product Bar Code EAN-13 Number	**5052544047084**

Standards & Approvals

Manufactured In Accordance To	**BS EN60598-2-22**

CE Marked	**yes**
UKCA Marked	**Yes**
Date code/Purchase order No.	**Yes**
WEEE Symbol	**Yes**
Certificate Of Conformity	**Available on request**
Accredited Members	**LIA, ISO9001-2015, ISO14001-2015**





JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112