

JC94114BN

Twist and Lock

Fireguard Mains IP20 Recessed Twist&Lock Tilt Downlight 50W Unlamped
Br/Nickel

Features & Benefits

- Twist & Lock lamp retainer for easy lamp removal
- Fire-rated 240V 50W MAX downlights
- maintaining the fire-rating of ceilings
- Press-fit terminal
- loop-in/loop-out
- Lamp not supplied



WARRANTY



DIMMABLE



CLASS II




RATING

General Information

Mounting	Recessed
Trade Name	Fireguard
Environment	Indoor
Suitable For Zones	Outside Zone 2
Product Group	Fire-rated downlights
Color Finish	Brushed Nickel
Product Shape	Round
Product Range	Fireguard
Overall Dimensions	98.5 x 96 mm
Product Weight(kg)	0.32
Recommended Product Location	indoor use only
Lamp Supplied	No
Minimum Void Requirement	150mm
Method Of Fix	Spring clips
Distance From Lighted Object	0.5m
Product Aperture Size	85mm
Max Angle Of Tilt & Rotation	15° tilt
IP Rating	IP20
Origin of manufacturer	PRC

Warranty	2 year standard warranty (See Website for terms and conditions)
Lighting Product Type 1	Fired Rated Downlights
Electrical	
Voltage Rating	220-240
Operating Frequency Hz	50/60Hz
Luminaire Circuit Wattage	50W max
Class	II
Input Electrical Connections	Live(Brown)Neutral(blue) with earth provision - Loop in/Loop out press fit terminal
Dimmable	Check with lamp manufacturer
Lampholder	GU10 cap
Thermals	
Insulation Coverage	see instruction sheet
Minimum Free Air Space	At least 75mm around fitting
Minimum Void Requirement	150mm
Operating Temperature Range °C	0 to +26
Performance Data	
Energy Rating	This product can contain a suitable light source of energy efficiency class from A to G
Construction	
Primary Material	Steel
Rim Or Attachment	Die-cast aluminium
Packaging	
Product Packaged Weight(kg)	0.299
Quantity Per Outer Carton	40
Product Bar Code EAN-13 Number	5052544049514
Standards & Approvals	
Manufactured In Accordance To	BS EN 60598-2-1, 2-2
CE Marked	Yes
UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE Symbol	yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015



JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 95 [31/01/2023]