

JC71861WH

High Output Dome Pendant

High Output Dome Pendant 30W LED 4000K White

Features & Benefits

- Ultra efficient
- up to 127 lumens per circuit Watt
- Black and white finish options available
- Suitable for open plan commercial and retail applications



CLASS I



CRI:RA



RATING



BEAM



WARRANTY

General Information

Mounting

Suspended

Trade Name

Dome Pendant

Environment

Indoor

Product Group

LED - Pendant

Color Finish

White

Product Range

Interior Pendants

Overall Dimensions

Ø370mm x 393mm

Product Weight(kg)

2.26

Light Source

LED

Light Source Features

Neutral White

Recommended Product Location

Suitable for indoor use only

Method Of Fix

Suspension eye

IP Rating

IP20

Warranty

2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)

Driver Manufacturer

Done

LED Manufacturer/Type

JuFei 3030

Electrical

Voltage Rating	220-240
Primary Running Current(Amp)	0.35
Operating Frequency Hz	50/60Hz
Secondary running current(mA)	900
Constant Current or Constant Voltage	CC
Luminaire Circuit Wattage	30
Class	I
Output Voltage Max/Range (VDC)	18-36
Total Harmonic Distortion (THD)%	20
Power Factor Correction	0.9
Input Electrical Connections	Live & Neutral, earth
Dimmable	No

Thermals

Thermal Cut Out	yes
Operating Temperature Range °C	-40 to +70

Performance Data

LED Life (Hours)	54000
------------------	-------

Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

Energy Rating	This product contains a light source of energy efficiency class D
Actual Lumen Output	3800
Lumens Per Circuit Watt	127
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	4000K
Beam Angle °	45
LOR (Light Output Ratio) %	100
Photometry Available	Yes

Construction

Primary Material	Aluminium
Lens	polycarbonate




Packaging

Product Bar Code EAN-13 Number	5052544081828
--------------------------------	---------------

Standards & Approvals

Manufactured In Accordance To
CE Marked
UKCA Marked
Date code/Purchase order No.
WEEE Symbol
Certificate Of Conformity
Accredited Members

BS EN 60598:2015-2-1
Yes
Yes
Yes
Yes
Available on request
LIA, ISO9001-2015, ISO14001-2015



JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 103 [01/02/2023]