

JC71901WH ToughBay Linear LED Highbay 2ft/620mm 75W 7500lm White



General Information

Product Group	LED - Surface
Product Range	Toughbay Linear
Trade Name	Toughbay
Light Source	LED
Light Source Features	Crisp White
Lighting Product Type	Ceiling Mount
Product Shape	Rectangular
Mounting	Surface Mounted
Product Weight	4.5Kg approx
Color Finish	White
Recommended Product Location	Production and manufacturing low bay applications/freezers/cold storage. Suitable for areas with high salt/moisture content.

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

Method Of Fix	2 x Suspension eye(supplied)
IP Rating	IP65
Environment	Outdoor
Suitable For Zones	Zone 1
Luminaire Accessories	LEV71904 / JC71920 / JC71921
Dimming Protocol Compatibility	1-10V
Driver Manufacturer	MEAN WELL
LED Manufacturer/Type	5630/EDISON

Electrical

A Cable	Yes
Voltage Rating	100-240
Secondary Running Current	1.75 Amps
Primary Running Current	0.425 Amps
Operating Frequency (Hz)	50/60Hz
CC or CV	Constant current
Luminaire Circuit Wattage	75W
Sec - Voltage (V)	42V DC
Class	Class I, requires earth
Total Harmonic Distortion (THD)%	20%
EMC Compliant (EN55015)	Yes
Power Factor Correction	0.96
Input Electrical Connections	Live, Earth, Neutral (pre-wired flex)
Dimmable	Yes, 1-10V only

Thermals

Max Luminaire Ambient Temp.	26°C
Max Driver/Ballast Ambient Temp.	80°C

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

Thermal Cut Out	100°C + 10%
Insulation Coverage	Do not cover
Minimum Free Air Space	100mm

Performance Data

Energy Rating	A+
Actual Lumen Output	7500
Lumens Per Circuit Watt	100 lm/W
LED Life (Hours)	50,000 to L70
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	5700K
Light Distribution Detail	110-degree
LOR (Light Output Ratio) %	100%
Photometry Available	Yes

Construction

Primary Material	Steel
Diffuser	Opal polycarbonate
Lens	Clear acrylic
Heat Sink	Cast aluminium
Driver Housing	Mild steel
Rim Or Attachment	Powder coated mild steel

Packaging

Luminaire Carton Dimensions	740mm x 360mm x 160mm
Quantity Per Outer Carton	2
Bar Code EAN Number	50525440446940(BLK) 50525440446957(WH)
Packaged Weight	5Kg approx

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

Standards & Approvals

Listings	CE
Manufactured In Accordance To	BS EN 60598-2-1
CE Marked	Yes
Batch Coded	Yes
Certificate Of Conformity	Yes, available on request
Accredited Members	LIA, ISO9001:2015, ISO14001:2015

JCC Lighting

