

JC23351WOP

**RadiaLED Optimum Mains IP65 Bulkhead 19W 4000K LED  
White/Opal**



**Features & Benefits**

- Twin conduit side entry points
- Dusk to dawn on/off photocell options available
- IP65 weather resistant
- Anti-vandal construction
- Rim accessories available,
- 84 lumens per circuit Watt

**General Information**

<b>Product Group</b>	LED Surface
<b>Product Range</b>	RadiaLED
<b>Trade Name</b>	RadiaLED
<b>Light Source</b>	LED
<b>Light Source Features</b>	Neutral White
<b>Lighting Product Type</b>	Surface Light
<b>Product Shape</b>	Round

**JCC Lighting**

Innovation Centre, Beeding Close, Southern Cross  
 Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
 Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

<b>Mounting</b>	Wall
<b>Product Weight</b>	1.2 Kg approx
<b>Color Finish</b>	White
<b>Recommended Product Location</b>	Suitable for Interior and external Use, Wall and Ceiling Mount
<b>Method Of Fix</b>	Back Screw Fix Using Screws Provided
<b>IP Rating</b>	IP65
<b>Environment</b>	Outdoor
<b>Suitable For Zones</b>	Zone 1 & 2
<b>Luminaire Accessories</b>	JC23340BLK / JC23340CH / JC23340SCH / JC23340WH / JC23340BLN / JC23340SAS / JC23340AB(Rims)
<b>Guarantee</b>	5 year warranty
<b>Driver Manufacturer</b>	KG-POWER
<b>LED Manufacturer/Type</b>	2835/HONGLI

## Electrical

<b>Voltage Rating</b>	220-240
<b>Secondary Running Current</b>	450mA
<b>Primary Running Current</b>	2A
<b>Operating Frequency (Hz)</b>	50/60Hz
<b>CC or CV</b>	Constant Current
<b>Luminaire Circuit Wattage</b>	19.5W
<b>Sec - Voltage (V)</b>	27-40V DC
<b>Class</b>	Class 1, Must be Earthed
<b>EMC Compliant (EN55015)</b>	Yes
<b>Power Factor Correction</b>	0.9
<b>Input Electrical Connections</b>	Live, Earth , Neutral Screw Terminal (2 x conduit entry)
<b>Dimmable</b>	No

## Thermals

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

---

<b>Max Luminaire Ambient Temp.</b>	-10°C/+30°C
<b>Thermal Cut Out</b>	TBA °C

---

## Performance Data

---

<b>Energy Rating</b>	A+
<b>Actual Lumen Output</b>	1600
<b>Lumens Per Circuit Watt</b>	84
<b>LED Life (Hours)</b>	30000
<b>Color Rendering Index</b>	80-89
<b>CRI: Ra</b>	80
<b>Correlated Color Temperature</b>	4000K
<b>LOR (Light Output Ratio) %</b>	100%
<b>Photometry Available</b>	Yes, available on request

---

## Construction

---

<b>Primary Material</b>	Polycarbonate
<b>Diffuser</b>	Polycarbonate
<b>Driver Housing</b>	Polycarbonate

---

## Packaging

---

<b>Luminaire Carton Dimensions</b>	325 x 305 x 111 mm
<b>Quantity Per Outer Carton</b>	6
<b>Bar Code EAN Number</b>	5052544048913
<b>Packaged Weight</b>	1.4 kg approx

---

## Standards & Approvals

---

<b>Listings</b>	CE
<b>Manufactured In Accordance To</b>	BS EN 60598-2-1
<b>CE Marked</b>	Yes

---

### JCC Lighting

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

---


<b>Batch Coded</b>	Yes
<b>Certificate Of Conformity</b>	Available on Request
<b>Accredited Members</b>	LIA, ISO9001:2015, ISO14001:2015

---


---

**JCC Lighting**

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
**T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk**



—104mm—



— Ø300mm —

---

**JCC Lighting**

Innovation Centre, Beeding Close, Southern Cross  
Trading Estate, Bognor Regis, West Sussex, PO22 9TS  
Company Registration Number: 03044848 | VAT Number: 918544112  
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk