

JC23353WOP

RadiaLED Optimum Mains IP65 Bulkhead 19W 4000K LED WOP Microwave On/Off

Features & Benefits

- Twin conduit side entry points
- Dusk to dawn on/off photocell options available
- IP65 weather resistant
- Anti-vandal construction
- Rim accessories available,
- 84 lumens per circuit Watt

General Information

Product Group	LED 3M Surface
Product Range	RadiaLED
Trade Name	RadiaLED
Light Source	LED
Light Source Features	Neutral White
Lighting Product Type	Surface Light
Product Shape	Round

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Mounting	Wall
Product Weight	1.2kg
Color Finish	White
Overall Dimensions	Ø 300 x 104 mm
Recommended Product Location	Suitable for interior & Exterior use, Wall and ceiling mount
Method Of Fix	Back screw fix, using fixings supplied
IP Rating	IP65
Environment	Outdoor
Suitable For Zones	Zone 1
Luminaire Accessories	JC23340BLK / CH / SCH / WH / BLN / SAS / AB rims
Origin Of Manufacture	PRC
Guarantee	5 year warranty
Driver Manufacturer	KG-POWER
LED Manufacturer/Type	2835/HONGLI

Electrical

Voltage Rating	220-240
Secondary Running Current	450mA
Primary Running Current	2Amp
Operating Frequency (Hz)	50/60Hz
CC or CV	CC
Luminaire Circuit Wattage	19W
Sec - Voltage (V)	27-40VDC
Class	Class I, earth required
Output Voltage (V)	33VDC
EMC Compliant (EN55015)	yes
Power Factor Correction	0.9
Input Electrical Connections	Switched Live(brown)Earth(yellow/green)Neutral(blue) unswitched live(black)

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Dimmable	No
-----------------	----

Dimming Type

Control	Microwave
----------------	-----------

Thermals

Room Ambient Temperature	26°C
---------------------------------	------

Max Luminaire Ambient Temp.	25°C
------------------------------------	------

Performance Data

Energy Rating	A+
----------------------	----

Actual Lumen Output	1600
----------------------------	------

Lumens Per Circuit Watt	84LpcW
--------------------------------	--------

LED Life (Hours)	30,000
-------------------------	--------

Color Rendering Index	80-89
------------------------------	-------

CRI: Ra	80
----------------	----

Correlated Color Temperature	4000K
-------------------------------------	-------

LOR (Light Output Ratio) %	100%
-----------------------------------	------

Photometry Available	yes
-----------------------------	-----

Detection Distance	0.5 -8m
---------------------------	---------

Detection Motion Speed	0.5-3m/s
-------------------------------	----------

Detection Range	16 x 6 m (150° wall mount/360° ceiling mount)
------------------------	-----------------------------------------------

Installation Height	2 metres
----------------------------	----------

Occupancy Sensor Mode of Operation	Vacancy (Default) or Auto On
-------------------------------------------	------------------------------

Hold Time	5s/30s/90s/3min/20min/30min
------------------	-----------------------------

Daylight Sensor (On/Off) (NOT Daylight Harvesting)	5lux / 10lux / 30Lux / 50 LuxDisable
-----------------------------------------------------------	--------------------------------------

Construction

Primary Material	Polycarbonate
-------------------------	---------------

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Diffuser	Polycarbonate
-----------------	---------------

Packaging

Luminaire Carton Dimensions	325 x 305 x 111mm
------------------------------------	-------------------

Quantity Per Outer Carton	6
----------------------------------	---

Bar Code EAN Number	5052544048913
----------------------------	---------------

Packaged Weight	1.3kg
------------------------	-------

Standards & Approvals

Listings	CE
-----------------	----

Manufactured In Accordance To	BS EN 60598-2-1
--------------------------------------	-----------------

CE Marked	yes
------------------	-----

Batch Coded	yes
--------------------	-----


Certificate Of Conformity	Available on request
----------------------------------	----------------------

Accredited Members	LIA, ISO9001:2015, ISO14001:2015
---------------------------	----------------------------------


JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk



—104mm—



— Ø300mm —

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk