

JC121358

LED Strip 5 meters 24V 4.8W IP20 2700K



Features & Benefits

- Triac and 1-10V Dimmable, depending on driver
- 4 colour temperatures available
- IP20 and IP65 options
- 3 profile options, surface, recessed, corner
- 120 LED's per metre
- 5cm cut points

General Information

Product Group	LED Strip
Trade Name	Led Tape
Light Source	LED
Light Source Features	Warm White
Lighting Product Type	Tapelight
Product Shape	Rectangular
Additional Information	Dimmable, depending on driver
Overall Dimensions	10mm wide x 5m
Recommended Product Location	For indoor use only
Method Of Fix	Adhesive tape
IP Rating	IP20

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Environment	Indoor
Suitable For Zones	Outside zone 2
Luminaire Accessories	BC020001 - 24V 75W Triac dimmable IP20 driver, BC020003 - 24V 50W 1-10V dimmable IP67 driver, BC020004 - 24V 75W 1-10V dimmable IP67 driver, BC020005 - 24V 150W 1-10V dimmable IP67 driver, BC020006 - 24V 75W Non-dimmable IP20 driver, BC020007 - 24V 180W Non-dimmable IP20 driver, BC020008 - 24V 30W Non-dimmable IP20 driver, JC121265 - Surface mounted aluminium profile 2 meters opal diffuser, JC121266 - Recessed aluminium profile 2 meters opal diffuser, JC121267 - Corner mounted aluminium profile 2 meters opal diffuser, JC020019 - 8mm Hippo clip IP20 strip-to-strip, JC020020 - 8mm Hippo clip IP20 strip-to-cable, JC020023 - 8mm Silicone mounting clips, JC020058 - DC cable (sold in 500mm increments)
Origin Of Manufacture	Made in China
Warranty	2 years standard warranty extends to 3 years when registered within the first year of purchase (See Website for terms and conditions)
LED Manufacturer/Type	Hongli 2835

Electrical

A Cable	Yes
Voltage Rating	24V
Luminaire Circuit Wattage	4.8W per metre
Class	Class III
Input Electrical Connections	250mm DC trailing lead (+/-) connections
Dimmable	Depending on driver

Performance Data

Energy Rating	A++
Actual Lumen Output	480 Lumens per metre
Lumens Per Circuit Watt	100LpcW per metre
Standard Deviation Colour Matching - SDCM	>6
LED Life (Hours) (L70)	54000
	Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	2700K
Light Distribution Detail	120-degree
LOR (Light Output Ratio) %	100%

Packaging

Bar Code EAN Number	5052544104374
----------------------------	---------------

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112


T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Standards & Approvals

Listings	CE
Listings	RoHS
Manufactured In Accordance To	BS EN 60598-2015
CE Marked	Yes
WEEE Symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk



JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk